No. 96 Quetanical Dev 17 May 1947

Military Government

Weekly Health Report

6

ARMY MEDICAL 0CT-1 0 1947 LIBRARY

OFFICE OF MILITARY GOVERNMENT FOR GERMANY (US)
INTERNAL AFFAIRS AND COMMUNICATIONS DIVISION
PUBLIC HEALTH AND WELFARE BRANCH

Millary Government

Weekly Health Report

DERICE OF MUTARY COVERNMENT FOR GERMANY (U.S.)
INSTRUCT AT AIR AND SCHOOL FOR GERMANY (U.S.)

Occupied Germany:

In the following Appendices "A", "B" and "C" are summaries of communicable disease cases and deaths by Regierungsbezirk and Land, and case rates by Regierungsbezirk and Land for the week ended 26 April 1947.

Communicable Diseases:

Again, as in the preceding two weeks, no new cases of typhus fever were reported. For the fifth consecutive week there were no new cases of smallpox.

Tuberculosis of the Lung and Larynx reached a new high of 1,310 new cases as compared with an average of approximately 974 cases per week during the month of April. This is the largest number of new cases reported in one week since the Occupation, as well as the largest one-week increase during the same period (299 above the previous week). Regierungsbezirke Ober- und Mittelfranken and Oberbayern in Bavaria accounted for the major share of this increase — cases in the former rising from 82 to 189 and in the latter from 102 to 195 during the one-week period.

The 1859 new Gonorrhea cases for the week are the highest reported since 30 November 1946 and represent an increase of 137 over the previous week. This figure compares with a weekly average of 1,640 during the month of April. By contrast, Syphilis increased by only 3 cases over the previous week.

There were decreases in scarlet fever, tuberculosis other than lung and larynx influenza and measles. The latter declined from 537 to 376 during the week, which represents the lowest number of new cases of measles reported since October 19, 1946.

Increases were registered in diphtheria, whooping cough, typhoid fever, paratyphoid and scabies. Whooping cough rose from 276 to 312 during the one-week period, which compares with a weekly average of 258 cases for the month of April. Scabies increased by 361 over the previous week.

APPENDIX "A"

Communicable Disease Report United States Zone of Germany for Week ending 26 April 1947

| - | | | | | | | | | | | | | | | 1 |
|---------|--------------|------------------------------|-------------------|--------------|----------------------------|-------------------------------|-----------|------------|-----------|-----------|-----------|-----------|--------------|---------|-----------------------|
| | ths | Measles | 376 | 41 | 121 | 101 | 15 | 18 | 10 | 1 2 | 19 | 11 | 20 | - 11 | +1 |
| | Deaths | ezuənljul | 93 | 11 | 19 | 31 | 11 | 15 | 11 | 11 | 1.1 | 11 | 11 | 88 | +! |
| | е Р | Malaria | ∞ | 11 | - | 2 | 11 | 11 | - | - 1 | 11 | -1 | - 1 | 11 | - |
| i | Cases | Rabies | 11 | 11 | 11 | 11 | 11 | 11 | 11 | | 11 | 1.1 | 11 | 11 | 11 |
| | c: C | Encephalitis epid. | 07 T | 11 | 11 | - | 11 | 11 | - 1 | 11 | 11 | 11 | 11 | 11 | |
| | O | Seables | 3736 | 443 | 718 | 816 | 233 | 411 | 225 | 09 | 163 | 393 | 153 | 121 | +1 |
| | SE | Infectious Jaundice | 19 3 | to 1 | 11 | ا ت | 11 | 07 | 27 | 11 | -1 | 11 | - | 10 | 11 |
| | DISEASE | Undulant Fever | | 111 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| | | Bact. Food Poisoning | 101 | 11 | 11 | 11 | 11 | 11 | 11 | 4 | 11 | - 1 | 11 | 11 | 11 |
| | 4BLE | infectious | ∞ | | | 11 | 11 | - 1 | 11 | - 1 | 1 1 | 11 | 11 | 11 | 1 |
| | UZ | Paratyphoid | 40 | 21 - | 4 | 1 1 | 2 | 60 | 21 | | 11 | 11 | 2 | 11 | |
| | COMMUNICABLE | Typhoid Fever | 56 4 | 4 1 2 - | 14 | 00 | 9 | 4-1 | က၂ | 4- | 11 | 2 | eo | 00 | 101 |
| | MO | silidqy2 | | 52 | 111 1 | 69 | 34 | 30 | 99 | 22 | 48 | 42 | 09 | 52 | 65 |
| | - | | 901 | 1 | | | | _ | | 6 182 | | | | | |
| | from | Gonorrhea | 1859 | 65 | 229 | 137 | 114 | 284 | 108 | 1 286 | 115 | 108 | 162 | 135 | 116 |
| | HS | Poliomyelitis | 2 | | | 11 | 11 | 7 | 11 | 11 | | | 7 | 11 | |
| 2 | DEATHS | Meningitis Meningococcus | 10 | 1-1 | - 1 | - 1 | 11 | 2 - | 11 | eo | 11 | 11 | 21 | 11 | |
| 2 | and [| Whooping Cough | 312 | 44 | 59 | 46 | 19 | 23 | 11 | 13 | 25 | 11 | 53 | ∞ | +1 |
| Gualina | ES a | Tuberculosis other | | 11 | တက | 907 | 12 | 14 | 27 | 1 | = 1 | 36 | တက | 118 | 23 |
| | CASE | Tuberculosis Lung and Larynx | 1310214 213 28 | 56 | 189 | 123 | 67 | 195 | 11 | 100 | 14 | 101 | 108 | 62 | 139 |
| מטע | | Scarlet Fever | 147 1 | 6 | 15 | 6 | ∞ | 17 | 12 | = 1 | 00 | 00 | 27 | 4 | 19 |
| ^ | f New | Diphtheria | 1561 | 36 | 67 | 34 | 26 | 1 | 39 | 65 | 40 | 54 | 79 | 34 | 37 |
| 5 | er of | Plague | 70 | | 1 1 | | | | | | | 1 1 | | 1 1 | 1 [|
| | Number | Cholera | 1 1 | | 1 1 | 1 1 | 1 1 | | 1 1 | | | 1 1 | 1-1 | 1 1 | 1 1 |
| | Z | Relapsing Fever | | | | | | | 111 | | 11 | | 1 | 1 1 | |
| | ted | Anthrax | | | | | 111 | | | 1.1 | 1 | 11 | 1 1 | 11 | |
| - | Reported | xoqlism2 | | | | 1 1 | | | 1 1 | | 1 1 | | 1 1 | | 1 1 |
| | Re | Louse Borne | | | | 111 | | 11 | | | | 11 | 1 1 | 911 | 111 |
| | | Typhus Fever | | | 11 | 11 | | | 11 | 11 | 11 | 11 | 11 | 11 | |
| | _ | Cases, Deaths | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 00 | 90 | 00 | 00 | 90 | 00 |
| | | Popu- lation a) | 18,405,000 | 1,029,000 | 2,353,000 | 2,043,000 | 1,240,000 | 2,459,000 | 1,254,000 | 1,578,000 | 1,289,000 | 1,397,000 | 2,281,000 | 492,000 | 000,066 |
| | | Regierungs- bezirk | TOTAL US Zone | Unterfranken | Ober- and Mittelfranken | Niederbayern and Oberpfalz | Schwaben | Oberbayern | Kassel | Wiesbaden | Darmstadt | Baden | Wuerttemberg | Bremen | Berlin (US Sector) |

a) Official population estimate established by Civil Administration Division, OMGUS, as of 1 April 1947. + Indicates no data submitted. - Indicates no cases reported.

APPENDIX "B" Communicable Disease Report (by Land) United States Zone of Germany for Week ending 26 April 1947

| 1 | | Neasles | 376 | 296 | 7 | 56 | 1 | 20 | 1 | 1 | 1 | + | 1 |
|---|--------------------------|-----------------------------|------------------|-----------|-----------|-----------|-----------|---------------|-----------|---------|---------|---------|-------------|
| | ths | ezuənliul | 93 | 65 | 1 | 1 | 1 | 1 | 1 | 28 | 1 | + | 1 |
| ı | Deaths | Malaria | 00 | 00 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | - |
| | d: | Rabies | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | 1 |
| ı | Cases | Encephalitis epid. | 0.1 | - | 1 | | 1 | 1 | 1 | 1 | 1 | | |
| | c: C | Scabies | 3736 | 2621 | 1 | 448 | 1 | 546 | 1 | 121 | 1 | + | 1 |
| ı | - | Infectious Jaundice | 19 | 10 | 1 | 60 | 1 | - | 1 | 10 | 1 | 1 | ī |
| | DISEASE | Undulant Fever | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Ī |
| ı | | Bact. Food Poisoning | 10 | 1 | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| ı | COMMUNICABLE | Dysentery infectious | ∞ - - | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 9 | - |
| ı | NIC | Paratyphoid | 40 | 30 | 1 | 2 | 1 | 2 | 1 | 1 | 1 | - | 1 |
| | MU | Typhoid Fever | 56 | 36 | က | 2 | - | 20 | 1 | က | 1 | 10 | _ |
| | CON | Syphilis | 901 | 386 | ಣ | 296 | 1 | 102 | 1 | 52 | 1 | 65 | 1 |
| | | Gonorrhea | 1859 | 829 | 1 | 509 | 1 | 270 | 1 | 135 | 1 | 116 | 1 |
| | IS fr | Poliomyelitis | 21 | H | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 |
| | ATH | Meningitis Meningococcus | 10 | 4 | _ | က | - | 2 | - | 1 | 1 | | - |
| | d DE | Whooping Cough | 312 | 191 | 1 | 49 | 1 | 64 | 1 | 00 | 1 | + | 1 |
| | S an | Tuberculosis other | 214 | 52 | 9 | 83 | o o | 45 | က | 11 | 00 | 23 | 7 |
| | CASES and DEATHS from | Tuberculosis Lung | 1310 | 630 | 83 | 270 | 51 | 500 | 32 | 62 | 20 | 139 | 44 |
| ı | New C | Scarlet Fever | 147 | 58 | - | 31 | 1 | 35 | 1 | 4 | 1 | 19 | 1 |
| ı | N to | Diphtheria | 561 | 213 | 00 | 144 | - | 133 | 7 | 34 | - | 37 | 20 |
| | ber | Plague | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - |
| ı | Inm | Cholera | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | Ī |
| ı | Reported Number | Relapsing Fever | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| ı | port | Anthrax | 11 | 1 | 1 | 1. | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| ı | Re | Smallpox | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| ı | | Typhus Fever Louse Borne | 11 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| ı | | Cases, Deaths | 00 | 0 | 0 | 0 | 0 | O | 0 | 0. | ס | 0- | 0 |
| | THE PARTY | Popu- lation a) | 18,405,000 | 9 124 000 | 00061=160 | 4.121.000 | 200677767 | 9 678 000 | 0,010,000 | 492.000 | 2006-0- | 990,000 | |
| | Bis promote and a second | Land | Total US Zone | Bavaria | | Hesse | | Wuerffemberg- | Baden | Bremen | | Berlin | (US Sector) |

Case Rafes Expressed as per 10,000 Population per Annum

| | | | | 1 |) | 000 | IBNI | Case water Expressed as per 10,000 topulation per Amilian | ישורים | 200 | 2 | | | - | החלי | | 100 | | | | | | | | | | | | |
|------------------------|---|---------|------|-------|------|--------|------|---|--------|-------|-------|-----------------------|---------|----|-------|------------------|-------|------|-------|----|-----|-----|-----------------|-----|----------|-----------------|--------|--------------|-----|
| Total US Zone | 18,405,000 | | | | - 1 | | - | - | 3 4.2 | 37. | 0 6.0 | 8.8 | 0.3 | 0. | 1 52. | 5 25. | 5 1.0 | 6 1. | 1 0.5 | 0. | 1 - | 0 | 5 105 | 0.0 | <u> </u> | 0 | -23 | 0.2 2.6 10.6 | 9.0 |
| Bavaria | 9,124,000 | | 1 | 1 | -1- | 1 | | — 12.1 3.3 35.9 3.0 10.9 0.2 0.1 47.2 22.0 2.1 1.7 0.1 — | ص ئ | 35.6 | 3.0 | 10.8 | 0.5 | 0 | 1 47. | 2 22. | 0 2. | ++ | 7 0. | | | 0.0 | - 0.6 149.4 0.1 | 4 0 | T. | 0 | 62 | 0.2 3.7 16.9 | 6.9 |
| Hesse | 4,121,000 | | | 1 | 1 | 1 | 1 | - 18.2 3.9 34.1 10.5 6.2 0.4 - 64.2 37.3 0.9 0.3 0.1 0.5 - 0.4 56.5 0.1 | 60. | 34. | 110.5 | 6.5 | 0.4 | | 64. | 2 37. | 30.8 | 9 0. | 3 0.1 | 0 | 70 | 0.0 | 4 56 | 5.0 | | 0 | 0.3 | 1 | 3.7 |
| Wuerffemberg- Baden | 3,678,000 | 1 | | | | | 1 | - 18.8 4.9 29.5 6.4 9.0 0.3 0.1 38.2 14.4 0.7 1.0 - 0.1 77.2 | 4.9 | 29. | 6.4 | 1 9.0 | 0.3 | 0. | 1 38. | 2 14. | 4 0. | 7 1. | 0 | 0 | - | 0. | 1 77 | 5 | | 0 | 0.3 | 1 | 7.1 |
| Bremen | 492,000 | 1 | | | 1 | 1 | 1 | 35 8 | 4.2 | 65. | 511.6 | 35 9 4.2 65.511.6 8.5 | 1 | | 142 | - 142.7 55.0 3.2 | 0 3. | 1 | 1 | 1 | - | 70 | - 5.3 127.9 | | | 1 | - 29.6 | | 1.1 |
| Berlin US Sector) | 000,066 | 1 | | | 1 | | 1 | - $ -$ | 10.0 | 73.0 | 012.1 | + | 0.5 | 1 | .09 | 9 34. | 23 | 6 0. | 3.5 | 07 | | 1 | + | 0 | 170 | + + 0.0 - 0.0 + | 10 | + | 1+ |
| a) Official popula | a) Official nonulation estimate established | blished | by C | livi. | Admi | nistra | fion | by Civil Administration Division OMGHS as of 1 April 1947. | C | MGIIS | 36 | of 1 A | or line | 47 | | | | | | | | | | | | | | | |

a) Omicial population estimate established by Civil Administration Division, Cirioco, as or 1 April 1771.

+ Indicates no data submitted. – Indicates no cases reported. 0.0 Indicates rates between 0 and 0.05.

APPENDIX "C"

Communicable Disease Rates United States Zone of Germany for Week ending 26 April 1947

+ Indicates no data submitted. - Indicates no cases reported. 0.0 Indicates rates between 0 and 0.05. (Rates Expressed as per 10,000 Population per Annum). a) Official population estimate established by Civil Administration Division, OMGUS, as of 1 April 1947.



1853/2C/26/5/47